



DECLARATION OF PERFORMANCE

Declaration of performance № 005-VOLMA-SLOY-2016-09-01

- 1) Unique identification code of the product-type:
VOLMA-SLOY EN 13279-1-B4/20/2
- 2) Type, batch or serial number or any other element allowing identification of the construction product as required pursuant to Article 11 (4) :
VOLMA-SLOY
Harmonized standard: EN 13279-1:2008
The product batch is identified by printing the manufacturing plant, the production date and time on the product packaging
- 3) Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer:
Lightweight gypsum building plaster for internal use
- 4) Name, registered trade name or registered trade mark and contact address of the manufacturer as required pursuant to Article 11 (5):

Head Office

**«VOLMA Management LLC»
128, Krepilnaya Street, Volgograd
400019, Russian Federation**

Exporter

**LLC «VOLMA-Marketing»
128, Krepilnaya Street, Volgograd
400019, Russian Federation**

Production plant

**LLC «VOLMA-VTR» «VOLMA-VTR» branch
36, Shkiryatova Street, Volgograd
400006, Russian Federation**

LLC «VOLMA-MAYKOP»

**36, Maykopsky Distr., Kamennomostsky Vil.
385750, Russian Federation**

5) Where applicable, name and contact address of the authorized representative whose mandate covers the tasks specified in Article 12(2)

Not applicable

6) System or systems of assessment and verification of constancy of performance of the construction product as set out in Annex V:

System 4

7) In case of the declaration of performance concerning a construction product covered by a harmonized standard-name and identification number of notified body:

Not applicable

8) In case of the declaration of performance concerning a construction product for which a European Technical Assessment has been issued:

Not applicable

9) Declared performance:


Essential characteristics	Performance	Harmonized technical specification
Reaction to fire	A1	EN 13279-1:2008
Direct airborne sound insulation	NPD	EN 13279-1:2008
Thermal conductivity	NPD	EN 13279-1:2008

10) The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Volgograd, on 01.09.2016



Vladimir Ovchincev

Managing Director

«VOLMA Management LLC»



16 № 005-VOLMA-SLOY-2016-01-09 EN 13279-1:2008	
VOLMA- SLOY Lightweight gypsum building plaster for internal use EN 13279-1-B4/20/2	
Reaction to fire: A1 Direct airborne sound insulation: NPD Thermal conductivity: NPD	
A	LLC "VOLMA" branch of "VOLMA-Volgograd", str. Krepilnaya 128, Volgograd, Russia 400019 +7 (8442) 493939
B	LLC "VOLMA-Voskresensk", str. Kirova, 3, Voskresensk, Moscow region, Russia 140200 +7 (49644) 40807
D	LLC "VOLMA-VTR" branch of "VOLMA-VTR", str. Shkiryatova 36, Volgograd, Russia 400006 +7 (8442) 319031
E	LLC "VOLMA-Orenburg", str. Zavodskaya 1, v. Dubensky, Orenburg region, Russia 461343 +7 (35334) 66337
F	LLC «VOLMA-Maikop» str. K. Marksa 66, v.Kamenomostsky, Maikop region, Adygei Republic, Russia 385750 +7 (7777) 29353